

**Go Further** 

# INTRODUCING

# TRANSIT COMMERCIAL VEHICLES



# **Transit Custom**

- · 290S SWB and 340L LWB
- · 2.0L EcoBlue diesel engine
- 6-speed Automatic transmission option\*
- 96kW Power
- 385Nm Torque
- 5.95m<sup>3</sup> 6.83m<sup>3</sup> Max Load Volume
- 1,035 1,387kg Max Payload
- Up to 2,800kg Braked Towing Capacity\*



# **Transit Van**

- 350L FWD/RWD, 350E RWD Jumbo and 470E RWD Jumbo
- 2.0L EcoBlue diesel engine available on 350L LWB FWD Van featuring 6-speed Automatic transmission as standard
- 125kW Power (on 2.0L EcoBlue)
- 405Nm Torque (on 2.0L EcoBlue)
- 11m<sup>3</sup> 15.1m<sup>3</sup> Max Load Volume
- 1,025 1,823kg Max Payload
- Up to 3,500kg Braked Towing Capacity\*



# **Transit Bus**

- Seats up to 12 occupants
- Rear Privacy Glass
- Rear Air Conditioning
- Power Operated Side Steps
- · 2.2L TDCi Diesel engine
- 114kW Power
- · 385Nm Torque
- 2,500kg Braked Towing Capacity\*



# **Transit Cab Chassis**

- Single Cab and Double Cab
- · Seats up to 7 occupants (on Double Cab)
- · 2.2L TDCi Diesel engine
- 114kW Power
- · 385Nm Torque
- 4,490kg Gross Vehicle Mass
- 3,159 4,149mm Frame Length
- 2,227 2,390kg Max Payload
- 3,500kg Braked Towing Capacity\*

# CONTENTS

Transit Custom	3 – 6
Transit Van/Bus/Cab Chassis	7 - 14
Innovation	15 - 20
Comfort and Protection	21-22
Customisation	23 - 24
Model Range, Dimensions and Weights	25-26
Colours and Accessories	27 - 28
Specifications:	
Transit Custom	29 - 30
Transit Van/Bus/Cab Chassis	31-33

# **Built for Business**

Ford Transit Commercial Vehicles are known for their reliability, loadspace, comfort and efficiency. With next-generation diesel engines available with 6-speed automatic\* transmission and a choice of over 100 colours, they're ready for business. Your business.


# **Tested for Toughness**

We ran vehicles at maximum speed for two months. Took them from -40°C to towing fully-laden trailers in 50°C heat. We opened and closed the doors and bonnet over 250,000 times. So if you need tough and reliable, the Transit Commercial Vehicles range has got what it takes.

# TRANSIT CUSTOM World class performance and efficiency are here. Introducing the Transit Custom, now with a next-generation Euro 6 certified 2.0L EcoBlue diesel engine and 6-speed automatic transmission available.\* This van is built for the city. It has the versatility to take on tight streets and the loadspace to keep your business moving. Choose the nimble 290S SWB (Short Wheel Base) or the 340L LWB (Long Wheel Base) with its generous loadspace. Intelligent tech, smart safety features and Transit Custom's legendary toughness, all come standard. TRANSIT CUSTOM Transit Custom 290S SWB shown with optional City Nav Pack. \*Automatic transmission option available at an additional cost.

# **CAPABLE AND CLEVER**

Huge loadspace, impressive pulling power and a host of handy storage and stowing 6 features make Transit Custom an indispensable working partner. And, because it's been tested to within an inch of its life, you know it will keep pulling its weight for years to come.



The tough vinyl floor covering allows the floor to be washed and cleaned easily. The load compartment is also fitted with 8 tie-down loops to help keep your items



# Ample loadspace

There's no compromise in the most vital consideration for a working van: maximising your loadspace and the ease with which you can use it.

- SWB: 5.95 cubic metres of space
- · LWB: 6.83 cubic metres of space
- Compartment tie down loops
- Sealed load floor
- Load compartment lighting



#### Underseat stowage compartment

The front dual passenger seat cushion flips up to reveal a hidden compartment large enough to hold a toolbox.



Up to 3.4 metre load length with load-through bulkhead


The Transit Custom can carry up to 3.4 metre# long items, thanks to the standard flexible load-through bulkhead.





# **ANYWHERE YOU LIKE**

Offering a variation in body styles and roof heights, there is a Transit Van, Bus or Cab 10 Chassis to suit your needs. With Gross Vehicle Mass (GVM)\* ranging from 3,550kg to 4,490kg, loadspace from 11m3 to 15.1m3 (on Van models) and optimum towing capability, the Transit is prepared for any challenge that comes its way.





can pull up to 3.5 tonnes of braked trailer load.

Combining high carrying capacity and maximum productivity, the Transit Van, Bus and Cab Chassis have the answer to all your transport needs.



# Load Area Protection Kit

Protect your Transit Van and your load. The tough load floor covering allows you to slide loads into the cargo area. It rises 100mm up to the sides, so the floor can be washed and cleaned easily. What's more, full height plywood load liner protection comes standard across the Van range. With wall-mounted tie down hooks and fixing points just above the floor, you've got a clear load floor.



# Integrated rear bumper step

Rear bumper design incorporates an integral step for easy access to the loadspace.



#### Optimised loadspace and payload

The Transit Van delivers exceptional load capacity. Behind the fixed steel bulkhead, you'll find up to 15.1m<sup>3</sup> of cargo space to fill! The flat load floor and near vertical side walls help you make the most of all that space, with room to carry loads of up to 4,256mm in length and up to 2,125mm in height. Access to the load area is quick and easy too, thanks to a wide-opening sliding side door, full-height rear doors that can be opened to a full 270,0 built-in DIN/ISO compliant tie-down hooks and fixing points that are mounted on the side walls!

# Transit 410L 12 Seat Bus

Space, comfort and convenience are at the heart of the Transit Bus 12 seater. The wide kerbside sliding door and passenger assist handles makes getting in and out especially easy. And that's just the start:

- · Non-slip floor
- Easy entry power operated side step
- · Offset single and double seat layout with straight aisle
- Second row seats incorporate ISOFIX child seating points with top tether mounts





The Ford Transit Cab Chassis is a vehicle you can rely on when there's serious work to be done.

- · Dual rear-wheel
- · RWD
- · Chassis frame length 4,149mm
- 4,490kg GVM
- 3 seats



# Transit 470E Double Cab Chassis\*

- · Dual rear-wheel
- RWD
- · Chassis frame length 3,159mm
- 4,490kg GVM
- 7 seats



# Rear air conditioning

On the Transit Bus, a separate air conditioning system is available for the rear passenger compartment with its own rotary controls. Two foot-level outlets are also provided for each row of seats.



# Power-operated side step

For safe and easy passenger access, a power-operated side step on Transit Bus extends automatically when the sliding door opens. When the door is closed, the step automatically retracts.



# Room for the largest crew

Transit Double Cab Chassis is a great solution for moving both crew and load at the same time. Wide-opening doors provide easy access to the spacious, well thought-out interior. While the dual front passenger seat and standard rear quad seat together offer comfortable accommodation for up to 7 occupants, including plenty of under-seat stowage possibilities.



# Impressive 3.5 Tonne Towing<sup>^</sup>

Make light work of tough challenges. The Transit Cab Chassis has a massive 3.5 tonne towing capacity to help carry your load.





# **NEXT GEN ENGINE, NEXT LEVEL THINKING**

Standard across the Transit Commercial Vehicle range is smart design that 18 maximizes productivity and minimizes running costs. From hard wearing, durable parts to fuel efficient engines, Transit helps your business keep costs to a minimum.







# Auto-Start-Stop

When your vehicle is idling at a standstill, the engine can automatically shut down\* to help improve fuel consumption. When you want to drive off, the engine immediately



# **Shift Indicator**

The intelligent indicator advises you when to change gear for maximum fuel efficiency.



# Ford EcoMode driver information system

This smart software monitors your driving style and tells you when you're achieving optimal fuel efficiency.

#### Driving with AdBlue®

To operate, the 2.0L EcoBlue diesel engine must be filled with AdBlue  $^{\odot}$  fluid which is designed to convert harmful NOx exhaust emissions into Nitrogen and water. Systems warnings illuminate when fluid level becomes too low. For more information, please discuss with your Ford Dealer.





# MAKES WORK A PLEASURE

Whether Transit Custom, Van, Bus or Cab Chassis, there's a range of intelligent features to 20 help lighten the load. Car-like comfort makes work a pleasure, while high-quality materials gives a premium feel without compromising everyday practicality.



#### **Heated seats**

Combat the cold mornings throughout winter with the push of a button. Heated seats come standard across the Transit Commercial Vehicles range for the driver and front passenger.



#### Ford SYNC® with Voice Activation#

The advanced software of Ford SYNC® lets you use detailed voice commands when making calls or playing music. Automatic phonebook downloading puts you in control without taking your eyes off the road, plus your compatible iPod, MP3 player or USB device seamlessly integrates with the audio system.



#### Upgrade to SYNC® 3#

From SatNav to Spotify\* you can voice control so much more with the innovative SYNC®3 system. Now available for the first time ever in a Transit as part of the City Nav Pack Auto Option on the Transit 350L LWB FWD Van.#



#### Power mirrors

Electrically-operated and heated with large adjustable spotter lens. Perfect for parking in tight spaces or driving through narrow lanes.



#### Fold-out table and underseat stowage compartment

The front dual passenger seat features a fold-out table and an underseat stowage compartment large enough to hold a toolbox.



# Cleverly designed storage

Transit Commercial Vehicles are equipped with plenty of handy in-cab storage areas to keep your items safe, including a fullwidth overhead stowage shelf. There's also a cleverly concealed storage compartment above the instrument cluster with power point, AUX and USB ports.



# **COMFORT AND PROTECTION INSIDE AND OUT**


Every model in the Transit Commercial Vehicle range has your safety in mind. A full 22 line up of passive and active safety and driver assistance features make use of the latest technology to help provide comfort and protection to the driver, passengers



# Available front and rear parking sensors# An audible warning helps you judge the distance between your vehicle and obstacles at the front and rear, for easier parking and manoeuvring.


# Trailer Sway Control<sup>^</sup>

When it detects trailer sway, the system is designed to reduce engine torque and apply the brakes to the appropriate wheel(s) to help restore control.



# Dynamic Stability Control (DSC)^

DSC is designed to help you maintain control in extreme driving conditions. It senses when you are deviating from your chosen line and aims to keep you on track by automatically regulating braking and engine output.



# Hill Launch Assist^

**Traction Control** 

brake pressure.

stopping power.

If wheel slip is detected at low speed, Traction Control is designed to mitigate wheel spin by reducing engine torque and applying

Designed to recognise an emergency braking situation and increase the pressure within the braking system to provide extra

Emergency Brake Assist<sup>^</sup>


**Emergency Brake Warning** 

drivers advance hazard warning.

Front and rear indicators automatically

flash during heavy braking, giving other


Hill Launch Assist is designed to temporarily prevent you from rolling down a slope when you move your foot from brake to accelerator. It works in forward and reverse gears, so is ideal for towing and pulling heavy loads.



# Roll-over Mitigation<sup>^</sup>


TRANSIT CUSTOM

Reacts to a potentially dangerous driving situation by activating the DSC to restore stability.



# Load Adaptive Control<sup>^</sup>

Load Adaptive Control is designed to adjust the responses of the DSC system to compensate when the vehicle is unladen, partially or fully-laden.



# Six Airbags Standard

Transit Custom 290S SWB Van shown with optional City Nav Pack.

All Transit Commercial Vehicles feature airbags positioned at the front, on both sides and at the head to enhance protection of the driver and front passengers in the event of an accident.



\*Reverse Camera is a part of the optional City Nav Pack available at additional cost. Not available on Transit Cab Chassis. \*Front and rear parking sensors available as part of the optional City Nav Pack for an additional cost. Not available on Transit Cab Chassis. \*Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather.

# **CUSTOMISATION FOR EVERY BUSINESS**

Upskill your Transit Commercial Vehicle to suit your business. There's the latest tech pack, the largest range of colours, and load capability upgrades. Whatever you need, there's a customisation pack to match.

# Rear Liftgate Door#

Smart and sophisticated by design, the optional rear liftgate door# lets you load and unload, even in the rain. Available only on Transit Custom.

# **Dual Side Load Doors**#

When the clock's ticking, easily access your cargo from both sides with versatile dual side load doors.# Available on Transit Custom and Transit 350L LWB Van (Mid-roof).

# Single Passenger Seat\*

(In lieu of dual front seats) Maximise your front cabin space with the single passenger seat# option. Available on Transit Custom, Van and Bus models.



# Available in over 100 colours\*

Your brand reflects your business. Let your Transit Commercial Vehicle also match your business. Only Ford gives you a choice of over 100 paint colours. It'll be factory sprayed to the highest standards, so you get to keep your Ford Factory Warranty. Now available on all Transit Commercial Vehicle models.



# City Nav Pack\*

Get the good tech. The City Nav Pack option# offers larger display screens, SatNav, front and rear parking sensors, reverse camera and more. For the first time, the innovative SYNC®3 system is available as part of the City Nav Pack Auto.~

Transit Custom (left) shown with Rear Liftgate Door, Dual Side Load Door, City Nav Pack and SVO Paint options. Transit 350L LWB RWD Van (right) shown with SVO Paint option. The aforementioned options are available on select models at additional cost.

# Transit Custom model range



Transit Custom 290S SWB Van



Transit Custom 340L LWB Van

Transit Van, Bus and Cab Chassis



Transit 350L LWB RWD Van



Transit 350L LWB FWD Van



Dimensions & Weights

Transit 350E RWD Jumbo Van



Transit 470E RWD Jumbo Van



Transit 470E RWD Single Cab Chassis



Transit 470E RWD Double Cab Chassis



Transit 410L RWD 12 Seat Bus



# Measurements

Please refer to the **Dimension (mm)** section, on the page to the right, for the corresponding dimension position names and vehicle specifications.

		Transit Custom	Transit Custom	Transit 350L LWB RWD Van		Transit 3 FWD		350E Jumbo	470E Jumbo	410L 12-Seat	470E Single	470E Double
		290S SWB	340L LWB	(Mid Roof)	(High Roof)	(Mid Roof)	(High Roof)	Van (SRW)	Van (DRW)	Bus	Cab Chassis	Cab Chassis
Car	go Dimensions (mm)											
М	Width – Load Space Between Wheel Arches	1390	1390	1392	1392	1392	1392	1392	1154	1364	-	-
L	Width – Load Space Maximum	1775	1775	1784	1784	1784	1784	1784	1784	1773	-	-
N	Height – Load Space Floor to Roof	1406	1406	1786	2025	1886	2125	2025	2025	1718	-	-
0	Height – Rear Loading Height (Laden to Unladen Range)	-	-	522 - 717	522 - 717	-	-	606 - 726	606 - 726	-	-	-
K	Length – Load Space Maximum (At Floor)	2555	2922	3533	3533	3533	3533	4256	4256	-	-	-
	Length – Under Seat Load Extension	530	530	-	-	-	-	-	-	-	-	-
	Length – Load Space Maximum (At 1.2m High)	2405	2772	3350	3350	3350	3350	4073	4073	-	-	-
	Load Space Maximum (cu.m) <sup>1.</sup> Single Side Load Door (with Bulkhead)	6.0	6.8	11.0	12.4	11.5	13.0	15.1	15.1	-	-	-
	Load Space VDA (cu.m) <sup>2.</sup> Single Side Load Door (with Bulkhead)	5.4	6.2	10.2	11.5	10.8	12.0	14.1	14.1	-	-	-
	Euro Pallet (1000mm Load) Capacity	3	3	4	4	4	4	5	5	-	-	-
Exte	erior Dimensions (mm)											
Α	Length – Overall	4972	5339	5981	5981	5981	5981	6704	6704	5981	6579	6404
	Length – Chassis Frame	-	-	-	-	-	-	-	-	-	4149	3159
В	Width – Overall with/without Side Mirrors Extended	2290/1986	2290/1986	2474 / 2112	2474 / 2112	2474 / 2112	2474 / 2112	2474 / 2112	2474 / 2112	2474 / 2112	2746 / 2111	2746 / 2111
С	Height – Overall (with Roof Rack Retracted)	2007	2022	-	-	-	-	-	-	-	-	-
С	Height – Overall (with Roof Rack Extended)	2131	2146	-	-	-	-	-	-	-	-	-
С	Height – Overall (Unladen)	-	-	2547	2786	2541	2780	2781	2781	2547	2214	2220
D	Wheelbase	2933	3300	3750	3750	3750	3750	3750	3750	3750	3954	3954
Е	Overhang – Front	1011	1011	1023	1023	1023	1023	1023	1023	1023	1023	1023
F	Overhang – Rear	1028	1028	1208	1208	1208	1208	1931	1931	1208	1602	1427
G	Width – Side Door Opening	1030	1030	1300	1300	1300	1300	1300	1300	1200	-	-
Н	Height – Side Door Opening	1320	1320	1600	1600	1700	1700	1600	1600	1564	-	-
I	Width – Rear Door Opening	1400	1400	1565	1565	1565	1565	1565	1565	1520	-	-
J	Height – Rear Door Opening	1340	1340	1648	1887	1748	1987	1887	1887	1597	-	-
	Front Track	-	-	1732	1732	1732	1732	1732	1740	1732	1740	1740
	Rear Track	-	-	1759	1759	1759	1759	1759	1670	1759	1670	1670
Veh	icle Masses											
Axle	Load – Front / Rear Maximum	1575 / 1590	1750 / 2015	1750 / 2250	1750 / 2250	1750 / 2250	1750 / 2250	1750 / 2250	1850 / 3100	1850 / 2500	1850 / 3100	1850 / 3100
Gros	ss Combined Mass (kg)	4840 (MT) /3940 (AT)	5365 (MT) / 4365 (AT)	5500	5500	4250	4250	5500	7000	5500	7000	7000
Gros	ss Vehicle Mass (kg)	2940	3365	3550	3550	3550	3550	3550	4490	4100	4490	4490
Kerb	o Weight <sup>3.</sup>	1852 (MT) / 1905 (AT)	1978 (MT) / 2031 (AT)	2393	2421	2319	2347	2525	2667	2753	2100	2263
Payl	load <sup>4.</sup> – Maximum	1088 (MT) /1035 (AT)	1387 (MT) / 1334 (AT)	1157	1129	1231	1203	1025	1823	1347	2390	2227
Tow	ring Capacity <sup>5.</sup> – Maximum (kg) ked	2500 (MT) /1800 (AT)	2800 (MT) /2100 (AT)	2750	2750	1800	1800	2750	3500	2500	3500	3500
	ring Capacity – Maximum (kg) oraked	750	750	750	750	750	750	750	750	750	750	750

1. Maximum load volume method simply measures the volume of a fine-grained material such as sand or rice which can be deposited into the loadspace. 2. Loadspace shown as VDA (measured in cubic metres) measures volume in cubed litre blocks. 3. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. 4. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb weight. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 5. Braked towing capacity when fitted with a Genuine Ford Tow Pack and Tow Ball, subject to State and Territory towing regulations.

# Transit Custom Colours











# Transit Van, Bus and Cab Chassis Colours


The entire Transit Van, Bus and Cab Chassis Colours range comes in your choice of classic Frozen White or Moondust Silver.





# Trims

These Charcoal Black trims come standard for the seat insert and seat bolsters across the entire Transit Commercial Vehicle range.





# Accessories

	Transit Custom 290S SWB Van	Transit Custom 340L LWB Van	Transit 350L LWB FWD/RWD Van	Transit 350E & 470E Jumbo Van	Transit 410L 12 Seat Bus	Transit 470E Single/Double Cab Chassis
16" Alloy Wheels <sup>1.</sup>	A <sup>2.</sup>	А	А	А	А	-
Alloy Wheel Lock Nuts	А	А	А	А	А	А
Carry Bars (Set of 4)	-	-	А	А	-	-
Rhino Rack Carry Bars, Roof Platform & Ladder Rack System <sup>3.</sup>	А	А	-	-	-	-
EGR Bonnet Protector <sup>3.</sup>	А	А	-	-	-	-
Interior Stowage Rack Kit (Maximum load 50kg)	А	А	А	А	-	-
Floor Mats Front All Weather	А	А	А	А	А	А
Go Tech Reverse Camera Kit³.	А	А	А	А	А	А
Rear Window Protection Grille (Dual Rear Doors Only)	А	А	А	А	А	-
Rear Door Ladder Kit	А	А	-	-	-	-
Sports Stripes – Black	А	А	-	-	-	-
Tow Pack <sup>4,</sup>	А	А	А	А	А	А

**CHOOSE YOUR LOOK** 

the perfect look to suit your business and style.







Rear window protection grille

Grille fixes to the inside of rear windows for enhanced security without obscuring rearward vision.



On Transit Custom, the Rear Door Ladder Kit provides easy access to the roof.

Rear Door Ladder Kit

<sup>1.</sup> As a replacement for standard 16" steel wheels only. 2. 16" Alloy Wheels are not available on Transit Custom 290S manual transmission models. 3. This accessory is a Supplier Branded Accessory and is not manufactured or warranted by Ford. The warranty is provided by the manufacturer of the accessory. The information in this document relating to this accessory is based on information provided by the manufacturer of the accessory.

4. Refer to the Dimensions & Weights specification page for full details and limitations of vehicle towing capacities. To comply with these limits, occupants and/or luggage may need to be restricted. For further details regarding passenger and luggage requirements, please consult your authorised Ford Dealer for details and/or refer to the owner's manual under "Trailer Towing" for further guidance. Towing is subject to State and Territory regulations.

# Specifications

	Transit	Transit		Transit	Transit
	Custom 290S SWB	Custom		Custom 290S SWB	Custom
Engine			Suspension		
2.0L EcoBlue Engine		5	Front – Independent MacPherson Struts, Variable Rate	-	-
Battery	Sir	ngle	Coil Springs, Stabiliser Bar and Gas Pressured Shock Absorbers	S	S
Auto Stop/Start <sup>5.</sup>		 S	Rear – Single Leaf Springs, Gas Pressurised Shock Absorbers	S	S
Power – Maximum (DIN)	96kW @	3,500rpm	Steering		
Torque – Maximum (DIN), Valves		@ 1,500 – rpm, 16	Power Assisted Steering	S	S
Transmission			Turning Circle – Kerb to kerb (m)	10.9	12.2
6-Speed Manual	S	S	Wheels & Tyres		
6-Speed Automatic	0	0	Wheel Size – Manual	6.5 x 15"	6.5 x 16"
Transmission ratios			Tyre Size – Manual	215/65 R15	215/65 R16
1st (6-Speed Manual)	3.583	3.583	Wheel Size – Automatic	6.5 x 16"	6.5 x 16"
2nd (6-Speed Manual)	1.864	1.864	Tyre Size – Automatic	215/65 R16	215/65 R16
3rd (6-Speed Manual)	1.156	1.156	Wheel Type	Steel	Steel
4th (6-Speed Manual)	0.816	0.816	Spare Wheel Type	Steel	Steel
5th (6-Speed Manual)	0.886	0.886	Rear Wheel Configuration	Single	Single
6th (6-Speed Manual)	0.737	0.737	Safety, Security & Driver Assistance		
Final Drive (6-Speed Manual)	3.940	4.430	Airbags – Driver & Front Passenger	S	S
Reverse (6-Speed Manual)	1.423	1.423	Airbags – Front Side Curtain	S	S
1st (6-Speed Automatic)	4.484	4.484	Airbags – Front Side Cortain  Airbags – Front Side Seat	S	S
2nd (6-Speed Automatic)	2.872	2.872			
3rd (6-Speed Automatic)	1.842	1.842	Brakes – Electronic Brakeforce Distribution (EBD) <sup>2</sup>	S	S
4th (6-Speed Automatic)	1.414	1.414	Brakes – Emergency Brake Assist (EBA) <sup>2.</sup>	S	S
5th (6-Speed Automatic)	1.000	1.000	Cruise Control with Adjustable Speed Limiter	S	S
6th (6-Speed Automatic)	0.742	0.742	Dynamic Stability Control (DSC) incorporating ABS <sup>2</sup>	S	S
Final Drive (6-Speed Automatic)	3.650	3.650	Hill Launch Assist <sup>2.</sup>	S	S
Reverse (6-Speed Automatic)	2.882	2.882	Roll Over Mitigation <sup>2.</sup>	S	S
Fuel Economy & Emissions			Emergency Brake Light	S	S
Fuel	Diesel	Diesel	Load Adaptive Control <sup>2</sup>	S	S
Combined Fuel Economy (L/100km)(Manual) <sup>1.</sup>	6.4	6.6	Side Wind Stabilisation <sup>2</sup>	S	S
CO <sub>2</sub> Emissions (g/km) (Manual) <sup>1.</sup>	165	174	Trailer Sway Control <sup>2</sup>	S	S
Combined Fuel Economy (L/100km)(Automatic) <sup>1.</sup>	7.2	7.2	Traction Control System <sup>2.</sup>	S	S
CO <sub>2</sub> Emissions (g/km)(Automatic) <sup>1.</sup>	186	186	Rear Window Defroster	S	S
Fuel Tank Capacity (Litres)	72	72	Bonnet Release – Key Operated	S	S
Brakes			Remote Keyless Entry – 2 Fobs	S	S
Front Disc Brakes	288mm	308mm	Perimeter Alarm	S	S
Rear Disc Brakes	288mm	308mm	Reverse Camera with Front & Rear Parking Sensors	Р	Р

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured A = Accessory that can be added at any time P = Part of a Pack

# Specifications continued

	Transit Transit Custom Custom 290S SWB 340L LWB				Transit Custom 340LLWB
Interior Features			Exterior Features		
Comfort & Convenience			Roof height		
Air Conditioning – Manual Front Single Zone	S	S	Low Roof	S	
Leather Wrapped Steering Wheel with Cruise Control and SYNC® Control Buttons. Reach and Height Adjustable.	S	S	Styling		
Fold Down Tray Table	S	S	Mudflaps – Front	S	S
Lighting – Dual Front Overhead	S	S	Mudflaps – Rear	S	S
Power – 12V Socket Auxilliary	S	S	Lights		
Power – 12V Socket in Driver Stowage Bin	S	S			
Power – 12V Socket in Rear Cargo Area	S	S	Front Fog Lamps	Р	P
Tachometer	S	S	Headlights – Follow-Me-Home	S	S
Trip Computer	S	S	Headlights – Levelling Manual	S	S
Windows – Power Front	S	S	Headlights – Halogen	S	S
Seating			High Mounted Stop Light	S	
Driver 10-way Manual Adjustment, Arm Rest and Lumbar with Cushion Tilt	S	S	Visibility		
Dual Front Passenger Fixed Seats with 2-way Manual Adjustment and Under Seat Stowage Compartment	S	S	Mirrors – Heated, Electrically Operated with Side Indicators	S	S
Heated Driver and Passenger Seats	S	S	Wipers – Front Variable Intermittent	S	S
Trim - Cloth	S	S	Stowage & Carrying		
Storage				S	
Bottle Holders – Two 2 Litre	S	S	Doors – Side Load Sliding (Left Side Standard)		
Bulkhead – Full Width Steel with Window and Load Through Hatch	S	S	Doors – Rear Glazed Twin Hinged with 180° Opening Integrated Roof Rack (130kg Capacity)	S S	S 
Cup Holders – 2	S	S			
Door – Storage Pockets	S	S	Optional Features		
Floor – Rubber (Front)	S	S	City Nav Pack <sup>4</sup> Contains:		
Glove Box – With Lid & A4 Hanging File Storage Capability	S	S	5.0" Multi-functional Display Screen <sup>4.</sup>	Р	Р
Load Area Protection Kit	S	S	Satellite Navigation <sup>4.</sup>	Р	Р
Load – Compartment Light	S	S	Front and Rear Parking Sensors <sup>4.</sup>	Р	Р
Load – 8 x Compartment Tie Downs	S	S	Reverse Camera <sup>4.</sup>	Р	P
Audio, communications & instruments			Front Fog Lamps <sup>4,</sup>	P	P
4 Speakers (2 Woofers, 2 Tweeters)	S	S		-	
4.0" Multi-functional Display Screen	S	S	Regular Production Options <sup>5.</sup>		
5.0" Multi-functional Display Screen	Р	Р	Prestige Paint <sup>4.</sup>	0	0
Audio – Single CD Player	S	S	Special Vehicle Options (SVO) Paint <sup>4.</sup>	0	0
Audio – Steering Wheel Mounted Controls	S	S	Automatic Transmission <sup>4.</sup>	0	0
Audio – USB Connectivity and DAB+/AM/FM Radio	S	S			
SYNC®3.	S	S	Doors – Dual Side Load Doors (Left and Right Side)4-	0	0
Satellite Navigation	Р	Р	Doors – Rear Liftgate Style Door (in lieu of Twin Hinged) <sup>4.</sup>	0	0

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured A = Accessory that can be added at any time P = Part of a Pack

# Specifications

Page	S 114kW @ 3,500rpm 385Nm - @ 1,600 -
Power - Maximum (DIN)	114kW @ 3,500rpm 385Nm
Power	114kW @ 3,500rpm 385Nm
Power - Maximum (DIN), Valves   3,500 pm	3,500rpm 385Nm - @ 1,600 – 16 2,300rpm, 10         
Part	- @ 1,600 - 16 2,300rpm, 10
Power - Maximum (DIN), Valves	Twin S S - 5.44 2.84
Power   Maximum (DIN), Valves   Power   Powe	Twin S S - 5.44 2.84
Torque - Maximum (DIN), Valves         e.         e.         e.         e.         p. (a. 1750 m.)         s. (b. 1750 m.)         e.         e.         e.         p. (b. 1750 m.)         e.         p. (b. 1750 m.)         e.         p. (b. 1750 m.)         p. (b. 1750	Twin S S - 5.44 2.84
Battery	Twin S S - 5.44 2.84
National Stop/Start   S S S S S S S S S S S S S S S S S S	S S - 5.44 2.84
Page   Manual   S   S   S   S   S   S   S   S   S	5.44 2.84
6-Speed Manual         S         S         -         -         S	- 5.44 2.84
Sephed Automatic   Sephed Auto	- 5.44 2.84
Transmission ratios         Ist (6-Speed Manual)         5.70         5.70         -         -         5.70         5.44         5.44         5.44         5.44         2.94         2.97         -         -         5.70         5.44         2.84         1.82         1.22         1.	5.44 2.84
Str (6-Speed Manual)	2.84
2nd (6-Speed Manual)	2.84
2nd (6-Speed Manual)	
3rd (6-Speed Manual)	
4th (6-Speed Manual)         1,28         1,28         -         -         1,28         1,22         1,22         1,22           5th (6-Speed Manual)         1,00         1,00         -         -         1,00	1.7 4
6th (6-Speed Manual)         0.78         0.78         -         -         0.78         0.79         0.79         0.79           Final Drive (6-Speed Manual)         3.15         3.15         -         -         3.15         4.10         4.10         4.10           Reverse (6-Speed Manual)         5.17         5.17         -         -         5.17         4.94         4.94         4.94           4st (6-Speed Automatic)         -         -         4.48         4.48         -         -         -         -           2nd (6-Speed Automatic)         -         -         2.87         2.67         -         -         -         -           3rd (6-Speed Automatic)         -         -         1.84         1.84         -	1.22
Final Drive (6-Speed Manual)   3.15   3.15   -   -   3.15   4.10   4.10   4.10	1.00
Reverse (6-Speed Manual)   5.17   5.17   -   -   5.17   4.94   4.94   4.94     Ist (6-Speed Automatic)   -	0.79
Ist (6-Speed Automatic)     -     -     4.48     4.48     -     -     -     -       2nd (6-Speed Automatic)     -     -     2.87     2.87     -     -     -     -       3rd (6-Speed Automatic)     -     -     1.84     1.84     -     -     -     -       4th (6-Speed Automatic)     -     -     1.41     1.41     -     -     -     -       5th (6-Speed Automatic)     -     -     1.00     1.00     -     -     -     -       6th (6-Speed Automatic)     -     -     0.74     0.74     -     -     -     -       Final Drive (6-Speed Automatic)     -     -     0.74     0.74     -     -     -     -       Reverse (6-Speed Automatic)     -     -     2.88     2.88     -     -     -     -       Reverse (6-Speed Automatic)     -     -     2.88     2.88     -     -     -     -       Reverse (6-Speed Automatic)     -     -     2.88     2.88     -     -     -     -       Reverse (6-Speed Automatic)     -     -     2.88     2.88     -     -     -     -       Brush Loss     -     -	4.10
Ist (6-Speed Automatic)         -         -         4.48         4.48         -	4.94
2nd (6-Speed Automatic)         -         -         2.87         2.87         -	_
4th (6-Speed Automatic)         -         -         1.41         1.41         -	_
4th (6-Speed Automatic)         -         -         1.41         1.41         -	_
5th (6-Speed Automatic)         -         -         1.00         1.00         -	_
6th (6-Speed Automatic)         -         -         0.74         0.74         -	_
Final Drive (6-Speed Automatic)         -         -         3.65         3.65         -	-
Fuel Economy & Emissions         Diesel	-
Fuel         Diesel         Diesel <td>-</td>	-
Fuel         Diesel         Diesel <td></td>	
Fuel Tank Capacity (Litres)         100         100         72         72         100         100         100         100           Brakes           Front and Rear Disc Brakes         S	Diesel
Brakes           Front and Rear Disc Brakes         S <td>100</td>	100
Suspension           Front – Independent MacPherson Struts         S	
Front – Independent MacPherson Struts         S	S
Rear – Single Leaf Springs         S </td <td></td>	
Steering           Power Assisted Steering         S	S
Power Assisted Steering         S	S
Turning Circle – Kerb to kerb (m)         13.3	
Wheels & Tyres           Wheel Size         6.5 x 16"         6 x 16"         6.5 x 16"         6 x 16"         6 x 16"         6 x 16"         5 x 16"	S
Wheel Size         6.5 x 16"         6 x 16"         6.5 x 16"         6 x 16"           Wheel Type         Steel	13.3
Wheel Type Steel	
- "	6 x 16"
Tyre Size 235/65 R16 235/65 R16 235/65 R16 235/65 R16 235/65 R16 195/75 R16 235/65 R16 195/75 R	Steel
	6 195/75 R16
Rear Wheel Configuration Single Single Single Single Dual Single Dual	Dual
Spare Wheel Steel	Steel
Safety, Security & Driver Assistance	
Airbags – Driver & Front Passenger S S S S S S S	
Airbags – Front Side Curtain S S S S S S S	S
Airbags – Front Side Seat S S S S S S	S S
Brakes – Electronic Brakeforce S S S S S S S S S S	
Distribution (EBD) <sup>3.</sup> Brakes – Emergency Brake Assist (EBA) <sup>3.</sup> S  S  S  S  S  S  S  S  S  S  S  S  S	S
Cruise Control with Adjustable S S S S S S S S S S S S S S S S S S S	S S S
Dynamic Stability Control (DSC) S S S S S S S S S S	S S

# Specifications continued

	Transit 350L LWB RWD Van			350L LWB O Van		470E Jumbo	410L	470E Single Cab	470E Double
(		(High Roof)			Van (SRW)	Van (DRW)	12-Seat Bus	Chassis	Cab Chassis
Safety, Security & Driver Assistance	ontinued								
Hill Launch Assist <sup>3.</sup>	S	S	S	S	S	S	S	S	S
Roll Over Mitigation <sup>3.</sup>	S	S	S	S	S	S	S	S	S
Emergency Brake Light	S	S	S	S	S	S	S	S	S
Load Adaptive Control <sup>3.</sup>	S	S	S	S	S	S	S	S	S
Trailer Sway Control <sup>3.</sup>	S	S	S	S	S	S	S	S	S
Traction Control System <sup>3.</sup>	S	S	S	S	S	S	S	S	S
Side Wind Stabilisation <sup>3.</sup>	-	-	S	S	-	-	-	-	-
Rear Window Defroster	S	S	S	S	S	S	S	-	-
Immobiliser – Passive Anti-theft System	n S	S	S	S	S	S	S	S	S
Bonnet Release – Key Operated	S	S	S	S	S	S	S	S	S
Remote Keyless Entry – 2 Fobs	S	S	S	S	S	S	S	S	S
Perimeter Alarm	S	S	S	S	S	S	S	S	S
Reverse Camera with Front & Rear Parking Sensors	Р	Р	Р	Р	Р	Р	Р	-	-
Interior Features									
Comfort & Convenience									
Air Conditioning – Manual Front Single Zone	e S	S	S	S	S	S	S	S	S
Air Conditioning – Manual Rear	-						S		
Air Pollen Filter							S		
Leather Wrapped Steering Wheel with									
Cruise Control and SYNC® Control Buttons. Reach and Height Adjustable.	S	S	S	S	S	S	S	S	S
Drivers Armrest	S	S	S	S	S	S	S	S	S
Light – Front Overhead with Theatre	S	S	S	S	S	S	S	S	S
Dimming Power – 12V Socket Auxilliary	S	S	S	S	S	S	S	S	S
Power – 12V Socket Auxiliary  Power – 12V Socket in Front Stowage									
Compartment	S	S	S	S	S	S	S	S	S
Power – 12V Socket in Rear Cargo Area	S	S	S	S	S	S	S	-	-
Sealed Floor – Partial Rubber,	S	S	S	S	S	S	_	_	_
Easy Cleaning								-	
Tachometer	S	S	S	S	S	S	S	S	S
Trip Computer Windows – Power Front (Driver Side On	S	S	S	S	S	S	S	S	S
Touch Up/Down)	s s	S	S	S	S	S	S	S	S
Glass – Tinted	S	S	S	S	S	S	-	S	S
Glass – Tinted with Rear Privacy Glass	-	-	-	-	-	-	S	-	-
Seating									
Single Driver 10-way Manual Adjustmen		S	S	S	S	S	S	S	S
Arm Rest and Lumbar with Cushion Tilt									
Dual Front Passenger Fixed Seats with 2-way Manual Adjustment and Under Seat Stowage Compartment	S	S	S	S	S	S	S	S	S
Single Front Passenger Seat	0	0	0	0	0	0	0	0	0
(in lieu of Dual Front)									
Heated Driver and Passenger Seats	S	S	S	S	S	S	S	S	S
Trim – Cloth	S	S	S	S	S	S	S	S	S
Storage									
Bottle Holders – Two 2 Litre	S	S	S	S	S	S	S	S	S
Bulkhead – Full Width Steel with Window	w S	S	S	S	S	S	-	-	-
Cup Holders – 2	S	S	S	S	S	S	S	S	S
Door – Storage Pockets (Fit A4 Clipboard and 2 Litre Bottle)	S	S	S	S	S	S	S	S	S
Glove Box – With Lid & A4 Hanging File Storage Capability	S	S	S	S	S	S	S	S	S
Load Area Protection Kit	S	S	S	S	S	S	-	_	-
Load – Compartment Lamp	S	S	S	S	S	S	S	-	_
Load – Compartment Tie Downs	S	S	S	S	S	S	-	-	-
Audio, communications & instrument									
4 Speakers (2 Woofers, 2 Tweeters)	S	S	S	S	S	S	S	S	S
3.4" Multi-functional Display Screen	S	S	-	-	S	S	S	S	S
4.0" Multi-functional Display Screen	-	-	S	S	-	-	-	-	-
5.0" Multi-functional Display Screen	Р	P	-	-	Р	Р	Р	-	_
6.0" Multi-functional Display Screen	-	_	Р	Р	_	_	_	_	_
Audio – Single CD Player	S	S	S	S	S	S	S	S	S
3 2 27								-	

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured A = Accessory that can be added at any time P = Part of a Pack

1. Auto Stop/Start will not occur in all situations. 2. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that this fuel consumption figure will be achieved in real world driving conditions. Actual fuel consumption will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 3. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather.

# Specifications continued

		350L LWB O Van		350L LWB O Van		470E Jumbo	410L	470E Single Cab	470E Double
(1)		(High Roof)			Van (SRW)	Van (DRW)	12-Seat Bus	Chassis	Cab Chassis
Audio, communications & instruments	continued								
Audio – Steering Wheel Mounted Controls	S	S	S	S	S	S	S	S	S
Audio – USB Connectivity and DAB+/AM/	-						-		-
FM Radio	S	S	S	S	S	S	S	S	S
SYNC®4.	S	S	S	S	S	S	S	S	S
SYNC®3 <sup>4.</sup>	-	-	Р	Р	-	-	-	-	-
Satellite Navigation	Р	Р	Р	Р	Р	Р	Р	-	-
Exterior Features									
Roof height									
Medium Roof	S	-	S	-	-	-	S	-	-
High Roof	-	S	-	S	S	S	-	-	-
Styling									
Mudflaps - Front	S	S	S	S	S	S	S	S	S
Mudflaps – Rear	S -	S -	S -	S -	S	S	S		-
Power Operated Side Steps  Lights									
Front Fog Lamps	Р	P	P	P	P	P	P		_
Headlights – Follow-Me-Home	S	P	P	P	S S	S	S		
Headlights – Levelling Manual	S	S	S	S	S	S	S	S	S
Headlights – Halogen	S	S	S	S	S	S	S	S	S
High Mounted Stop Light	S	S	S	S	S	S	S	-	-
Lights – Side Marker Lights	_		-	-	S	S	-	S	S
Rear Door Edge Reflector Strip	S	S	S	S	S	S	S	-	-
Visibility									
Mirrors – Power Foldable, Heated, Electrically Operated with Side Indicators	S	S	S	S	S	S	S	-	-
Mirrors – Heated, Electrically Operated with Side Indicators	-	-	-	-	-	-	-	S	S
Wipers – Front Variable Intermittent	S	S	S	S	S	S	S	S	S
Stowage & Carrying									
Doors – Side Load Sliding (Left Side Standard)	S	S	S	S	S	S	S	-	-
Doors – Rear Glazed Twin Hinged with 270° Opening	S	S	S	S	S	S	-	-	-
Doors – Rear Glazed Twin Hinged with 180° Opening	-	-	-	-	-	-	S	-	-
Optional Features									
City Nav Pack Manual (Manual Van and	d Bus Mod	els Only) <sup>5.</sup> Con	tains:						
5.0" Multi-functional Display Screen <sup>5.</sup>	Р	Р	-	_	Р	Р	Р	-	-
Satellite Navigation <sup>5.</sup>	Р	Р	-	-	Р	Р	Р	-	-
Front and Rear Parking Sensors <sup>5.</sup>	Р	Р	-	-	Р	Р	Р	-	-
Reverse Camera <sup>5.</sup>	Р	Р	-	-	Р	Р	Р	-	-
Front Fog Lamps <sup>5.</sup>	Р	Р	-	-	P	Р	Р	-	-
City Nav Pack Auto (350L LWB FWD Va	n Model O								
6.0" Multi-functional Display Screen <sup>5.</sup>	-		P	P		-	-	-	-
SYNC®3.4.5.	-	-	P	P P	-	-	-	-	-
Satellite Navigation <sup>5</sup> .	-	-	P P	Р	-	-	-	-	-
Front and Rear Parking Sensors <sup>5.</sup> Reverse Camera <sup>5.</sup>	-	-	Р	P P	-	-	-	-	
Front Fog Lamps <sup>5.</sup>			Р Р	Р					
Regular Production Options <sup>5.</sup>									
Prestige Paint <sup>5.</sup>	0	0	0	0	0	0	0	0	0
Special Vehicle Options (SVO) Paint <sup>5.</sup>	0	0	0	0	0	0	0	0	0
Automatic Transmission	-	-	S	S		-	-	-	-
Doors – Dual Side Load Doors (Left and Right Side) <sup>5.</sup>	0	-	0	-	-	-	-	-	_
High Roof <sup>5.</sup>	0	S	0	S	S	S	_	_	_
Single Front Passenger Seat									
(in lieu of Dual Front) <sup>5.</sup>	0	0	0	0	0	0	0	0	0

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured A = Accessory that can be added at any time P = Part of a Pack

<sup>3.</sup> Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather.
4. Not all SYNC® and SYNC® a features are compatible with all phones. For compatibility, see ford.com.au/sync. 5. Regular Production Options and City Nav Pack are optional and available at additional cost.



#### **Ouality**

We design and build your Ford to feel as good after many years of service as it did the day you picked it up.
And to drive just as beautifully, too.



#### Sustainability

Using advanced technology, we're committed to creating vehicles with improved fuel economy, reduced  $CO_2$  emissions and a lower overall cost of ownership.



#### Safetv

Ford's Intelligent Protection System uses sophisticated technology designed to help prevent an accident and, if one should happen, to help protect you.



#### Smart

Vehicles with smart, intuitive technologies designed to connect you to your world and many clever solutions that make life a little easier.

# Speak to your Ford Dealer today about how we can help you make the most out of your vehicle ownership experience.

#### Warranties & Service.

#### 3 year/100,000km new car warranty.#

For three years or 100,000km, whichever comes first, your Ford is covered against any defects in factory materials or workmanship. This also applies to Genuine Ford Accessories you may have had fitted before you took delivery.

# 5 year warranty against perforation corrosion.#

It's reassuring to know that the original body of your gleaming new Ford is guaranteed against perforation corrosion for the first five years of its life. If perforation corrosion occurs, we'll fix it for free.

#### myFord Warranties and Insurance.

When you first turn the key of your brand new Ford you want to do so without a care in the world. Our range of myFord products gives you that extra peace of mind. For more information about myFord Warranties and Insurance, visit your participating Ford Dealer for further details on the plans that best suit your needs. Terms, conditions and eligibility criteria apply.

#### Vancare Roadside Assistance.

Our commitment to your complete satisfaction plays a major role in everything we do. That is why we provide Ford Vancare Roadside Assistance for all Ford Transit Commercial Vehicle Customers. Wherever and whenever you need emergency roadside assistance, help is available 24 hours a day, 365 days a year.

If your vehicle breaks down and cannot be repaired, we will organise to transport your vehicle to the nearest Ford Dealer or approved service centre for repair. Ford Vancare Roadside Assistance is valid for 1 year from the vehicle's first registration.

#### 12 months/15,000km service intervals. (2.2L TDCi Diesel Models)

On Transit Van, Bus and Cab Chassis models built with the 2.2L TDCi Diesel engine, under normal driving conditions, service intervals are 12 months or 15,000km, whichever occurs first.

# 12 months/30,000km service intervals (2.0L EcoBlue Diesel Models)

On Transit Custom and Transit 350L LWB FWD Van models built with the 2.0L EcoBlue Diesel engine, under normal driving conditions, service intervals are 12 months or 30,000km, whichever occurs first.

#### FORD SERVICE

At Ford, we are committed to providing an outstanding ownership experience. For example, we think you should always know what you're going to pay for a standard service, before you go in. So we offer a Service Price Promise for the life of your car, which means we'll publish the maximum price you'll pay for your next A or B logbook service at participating Authorised Ford Dealers on all vehicles built from 2007.

However our service doesn't end at the service garage. At participating Dealers, eligible customers will even have access to a loan car included with any scheduled service. Why do we do all this? Because at Ford, we think that's what service should be.

For more details visit your participating local Ford Dealer or visit ford.com.au/service/t-and-c for full terms and conditions.

# Contact us

If you have any questions or concerns, please contact our Customer Relationship Centre on 13 FORD (13 3673) or email customers@fordcrc.com.au

# Running a fleet?

Our Ford Fleet team is here to assist you in any way we can. Please call 1300 13 13 30 or email askfleet@ford.com

# **Ford For Good**

From supporting national causes to community volunteering, we take our social responsibility seriously. Find out more at ford.com.au/about/community



#### Click to Request







Hot Deals


Total Pales

Discover more at ford.com.au

#Conditions and exclusions apply. For more information consult your authorised Ford Dealer.

This brochure details specifications and features of the Transit Commercial Vehicle Range. Some driver assistance features and safety features described in this brochure are designed to function using sensors, whose performance may be affected under certain weather or environmental conditions. Not all features will be available on the entire Transit Commercial Vehicle Range. Please visit our website www.ford.com.au for more information.

This brochure is designed to provide you with a general introduction to the Ford Products (including available optional equipment) referred to, and should be read in conjunction with the latest specification sheet. Image and Illustrations are for information purposes and are indicative only. Because of changes in conditions and circumstances Ford\* reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the without incurring any liability to any prospective purchaser or purchasers. The latest specification sheet should be referred to for information on the availability, ordering and use of features and optional equipment. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order.



Go Further