

IONIQ 5 Series II



Specifications

IONIQ 5 SERIES II	63 KWH 2WD	84 KWH 2WD	84 KWH AWD	IONIQ 5 84 KWH LIMITED AWD	84 KWH N LINE LIMITED AWD
REAR MOTOR:					
Maximum power	125 kW	168 kW	168 kW	165 kW	165 kW
Maximum torque	350 Nm	350 Nm	350 Nm	350 Nm	350 Nm
FRONT MOTOR:					
Maximum power	-	-	70 kW	70 kW	70 kW
Maximum torque	-	-	255 Nm	255 Nm	255 Nm
Combined Power Output & Torque:					
Maximum power	125 kW	168 kW	168 kW	239 kW	239 kW
Maximum torque	350 Nm	350 Nm	350 Nm	605 Nm	605 Nm
TRANSMISSION:					
3-levels of brake regeneration including smart mode	•	•	•	•	•
Paddle shifters for brake regeneration levels	•	•	•	•	•
HIGH VOLTAGE BATTERY:					
Battery capacity	63 kWh	84.8 kWh			
Battery type	Liquid Cooled Lithium-ion Polymer				
On Board Charger (OBC) - AC	7.4 kW single phase / 10.5 kW three phase				
On Board Charger (OBC) - DC	Up to 350 kW				
CHASSIS & AERODYNAMICS:					
Front suspension	McPherson strut				
Rear suspension	Multi-link				
Damping control system	High performance dampers				
WHEELS & BRAKING SYSTEM:					
Wheel size & type	19" x 7.5J alloy	19" x 7.5J alloy	19" x 7.5J alloy	20" x 7.5J alloy	20" x 7.5J alloy
Tyre	Michelin Primacy 235/55 R19	Michelin Primacy 235/55 R19	Michelin Primacy 235/55 R19	Michelin 255/45 R20	Michelin 255/45 R20
Tyre Pressure Monitoring System (TPMS)	•	•	•	•	•
Tyre Mobility Kit (TMK)	•	•	•	•	•
Braking system	Ventilated front & rear disc brakes				
Electronic Parking Brake (EPB) with auto hold	•	•	•	•	•
STEERING:					
Electric motor driven power steering	•	•	•	•	•
Manual tilt and telescopic adjustment	•	•	•	•	•
Minimum turning circle diameter between kerbs / walls	11.98 m				
SAFETY FEATURES:					
ABS braking with Electronic Brake-Force Distribution (EBD)	•	•	•	•	•
Brake Assist System (BAS)	•	•	•	•	•
Electronic Stability Control (ESC)	•	•	•	•	•
Traction Control System (TCS)	•	•	•	•	•
Vehicle Stability Management (VSM)	•	•	•	•	•
Blind-spot Collision Avoidance assist (BCA)	•	•	•	•	•
Blind-spot View Monitor (BVM)	-	-	-	•	•
Rear Cross-traffic Collision Avoidance assist (RCCA)	•	•	•	•	•
Forward Collision Avoidance assist (FCA) with Junction Assist (JX)	•	•	•	•	•

Specifications

IONIQ 5 SERIES II	63 KWH 2WD	84 KWH 2WD	84 KWH AWD	IONIQ 5 84 KWH LIMITED AWD	84 KWH N LINE LIMITED AWD
Smart Cruise Control (SCC) with stop & go	•	•	•	•	•
Lane Keeping Assist (LKA)	•	•	•	•	•
Lane Following Assist (LFA)	•	•	•	•	•
High Beam Assist (HBA)	•	•	•	•	•
7 Airbags (dual front, side, curtain & front seat centre airbag)	•	•	•	•	•
Front seatbelt pretensioners and load limiters	•	•	•	•	•
3-point tether child seat anchor points	•	•	•	•	•
ISOFIX child seat anchor points	•	•	•	•	•
Height adjustable seatbelts (front)	•	•	•	•	•
3-point lap diagonal (ELR) seatbelts	•	•	•	•	•
Child safety rear door locks	•	•	•	•	•
Electro Chromatic rear-view Mirror (ECM)	•	•	•	•	•
Automatic dusk sensing headlights	•	•	•	•	•
Rain sensing wiper system	•	•	•	•	•
Rear park assist system	•	•	•	•	•
Front park assist system	•	•	•	•	•
Surround View Monitor (SVM)	-	-	-	•	•
Reversing camera	•	•	•	•	•
First aid kit	•	•	•	•	•
EXTERIOR FEATURES:					
N Line exterior package	-	-	-	-	•
Vision roof with power operated blind	-	-	-	•	•
Smart power tailgate	-	-	-	•	•
Electrically adjustable side mirrors	•	•	•	•	•
Electric folding side mirrors	•	•	•	•	•
Heated side mirrors	•	•	•	•	•
LED head lights	Multi Faceted Reflector (MFR) type	Multi Faceted Reflector (MFR) type	Multi Faceted Reflector (MFR) type	Projector type	Projector type
LED Daytime Running Lights (DRL)	•	•	•	•	•
LED tail lights	•	•	•	•	•
Rear spoiler with high mounted LED stop light	•	•	•	•	•
Privacy glass - rear doors back	-	-	-	•	•
Solar UV protection glass - front windscreen and doors	•	•	•	•	•
INTERIOR FEATURES:					
Interior trim	Cloth	Cloth	Cloth	Leather	Leather & Alcantara
Leather steering wheel **	•	•	•	•	•
Driver seat 10-way electric sliding, reclining, height and lumbar adjustable	•	•	•	•	•
Passenger seat 10-way electric sliding, reclining, height and lumbar adjustable	-	-	-	•	•
Heated front seats	-	-	-	•	•
Heated rear seats (outboard)	-	-	-	•	•
Ventilated front seats	-	-	-	•	•

Specifications

IONIQ 5 SERIES II	63 KWH 2WD	84 KWH 2WD	84 KWH AWD	IONIQ 5 84 KWH LIMITED AWD	84 KWH N LINE LIMITED AWD
Heated steering wheel	-	-	-	•	•
Power windows	•	•	•	•	•
Wireless smart phone charging ***	•	•	•	•	•
Sliding centre console	•	•	•	•	•
Rear seat 60:40 split folding function	•	•	•	•	•
Rear seat V2L input	-	-	-	•	•
SECURITY:					
Proximity key and engine start / stop button	•	•	•	•	•
Keyless entry with anti-theft alarm	•	•	•	•	•
Automatic opening flush door handles	-	-	-	•	•
Engine immobiliser	•	•	•	•	•
Hyundai Active Locking Operation (HALO) including speed sensing auto door locking	•	•	•	•	•
COMFORT AND CONVENIENCE:					
12.3" touch screen audio system	•	•	•	•	•
Satellite navigation	•	•	•	•	•
Wireless Apple CarPlay & Android Auto compatibility	•	•	•	•	•
Bose premium audio system with 8 speakers including subwoofer	-	-	-	•	•
6 speakers	•	•	•	-	-
Bluetooth voice recognition handsfree phone system	•	•	•	•	•
Steering wheel mounted audio and cruise controls	•	•	•	•	•
5 USB-c inputs (3 x front, 2 x rear)	•	•	•	•	•
Dual zone automatic climate control air-conditioning with pollen filter	•	•	•	•	•
Automatic windscreen defog	•	•	•	•	•
Trip computer including distance to empty, average energy consumption, average speed and outside temperature display	•	•	•	•	•
Heads-Up Display (HUD)	-	-	-	•	•
12.3" colour full TFT driver information display	•	•	•	•	•
Illuminated vanity mirror in driver and front passenger sunvisors	•	•	•	•	•

Specifications

IONIQ 5 SERIES II	63 KWH 2WD	84 KWH 2WD	84 KWH AWD	IONIQ 5 84 KWH LIMITED AWD	84 KWH N LINE LIMITED AWD
WEIGHTS AND CAPACITIES:					
Boot capacity (VDA litres) - 2nd row seats down	1,580	1,580	1,580	1,580	1,580
Boot capacity (VDA litres) - 2nd row seats up	520	520	520	520	520
Front trunk capacity (VDA litres)	57	57	24	24	24
Kerb weight (kg) lightest / heaviest	1,960 kg	2,065 kg	2,180 kg	2,180 kg	2,180 kg
Towing capacity - unbraked (kg)	750	750	750	750	750
Towing capacity - braked (kg)	750	1,600	1,600	1,600	1,600
EXTERIOR DIMENSIONS:					
Wheelbase (mm)	3,000	3,000	3,000	3,000	3,000
Overall length (mm)	4,655	4,655	4,655	4,655	4,655
Overall width (mm)	1,890	1,890	1,890	1,890	1,890
Overall height (mm)	1,605	1,605	1,605	1,605	1,605
Wheel track - front / rear (mm)	1,638 / 1,647	1,638 / 1,647	1,638 / 1,647	1,638 / 1,647	1,638 / 1,647
Overhang - front / rear (mm)	845 / 790	845 / 790	845 / 790	845 / 790	845 / 790
Minimum ground clearance (mm)	160	160	160	160	160
SUSTAINABILITY:					
Combined energy efficiency (kWh / 100km)*	15.6	16	16.8	18.2	18.4
Co2 emissions (g/km)	0	0	0	0	0
Driving range (WLTP)*	440 km	570 km	546 km	505 km	495 km
WARRANTIES:					
10 year / 200,000 km anti perforation corrosion body warranty	•	•	•	•	•
3 year / 100,000 km mechanical warranty	•	•	•	•	•
3 year / 100,000 km roadside assistance package	•	•	•	•	•
8 year / 160,000 km high voltage battery warranty	•	•	•	•	•
Specifications, features, equipment and colours shown in this brochure are subject to change without notice or obligation. *Energy consumption figures are based on WLTP3 tests and factory information. These figures are provided to assist you in comparing the fuel consumption of the IONIQ 5 range with other vehicles. The actual energy consumption will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use. **Finishes specified as leather contain a combination of genuine leather, polyurethane leather (leather substitute) and man-made materials. ***Compatible smart phones only.					

Interior colours

Active



Obsidian black cloth



Obsidian Black or Dark Pebble Grey Leather


N Line Limited



Obsidian black leather & alcantara with red accents


Exterior colours

Pearl / Metallic / Solid colours



Atlas White (SAW) Cyber Grey Metallic (CSG) Ecotronic Grey Pearl (PE2) Digital Teal Green Pearl (M9U) Lucid Blue Pearl (U3P) Ultimate Red Metallic (R2P) Abyss Black Pearl (A2B)

Matte colour



Atlas White Matte (WAM) Ecotronic Grey Matte (NET) Gravity Gold Matte (W3T)

Specifications

CLASSIFICATION	Standard Range	Extended Range	Extended Range AWD
Motor Type	Permanent Magnet Synchronous Motor (PMSM)		Dual Permanent Magnet Synchronous Motor (PMSM)
Max. Power (kW)	125	168	239
Max. Torque (Nm)	350	350	605
WLTP Driving Range (km)	440 km	570 km	Active: 546 km, N Line Limited: 495 km
SUSPENSION			
Front	MacPherson Strut Type		
Rear	Multi-Link Type		
Tyres & Wheels	235/55 R19	235/55 R19	235/55 R19, 255/45 R20
CHARGING & BATTERY			
Battery Size (kWh)	63	84.8	84.8
Battery type	Liquid Cooled Lithium-ion Polymer		
On Board Charger (OBC) - AC kW	7.4 kW single phase / 10.5 kW three phase		
On Board Charger (OBC) - DC kW	Up to 350 kW		

- Some of the equipment illustrated or described in this brochure may not be supplied as standard equipment and may be available at extra cost.
- Hyundai Motor Company reserves the right to change specifications and equipment without prior notice.
- The colour plates shown may vary slightly from the actual colours due to the limitations of the printing process.
- Please consult your dealer for full information and availability on colours and trims.



Overall height
(Roof rack)

1,605

Wheel base
Overall length

3,000
4,655



Unit : mm

Wheel tread *
Overall width

1,638
1,890

Wheel tread *

1,647

Call our Hyundai Ambassador Team on **0800 HYUNDAI (498 632)**
or email us at customerservice@hyundai.co.nz

 Join Hyundai NZ on Facebook www.facebook.com/hyundainz

 See our videos at www.youtube.com/hyundainz

 Follow us on Instagram @HyundaiNZ

www.hyundai.co.nz

Spec Sheet - IONIQ5_04/25